


RoHS COMPLIANT

DESCRIPTION CONTROL			
REV	DESC	DATE	APP
A	FIRST RELEASE	2015/06/30	
B	CHANGE CABLE	2015/07/03	




PART NUMBER	LENGTH
BVS2-E8S-1M	1000±30
BVS2-E8S-2M	2000±30
BVS2-E8S-3M	3000±30

Components Express, Inc.

	REV.	DWG NO: CY-S-1446		
	B	CUSTOMER:		
DRAW,BY: <i>Lu dongfu</i>		CUSTOMER P/N: BVS2-E8S-*M		
CHECK,BY: <i>Cao jia wei</i>	SCALE	UNIT	SHEET	
APP,BY: <i>Mr. Huang</i>	FREE	mm	1/1	


RoHS COMPLIANT

DESCRIPTION CONTROL			
REV	DESC	DATE	APP
A	FIRST RELEASE	2015/06/30	
B	CHANGE COLOR CODE	2015/07/06	



PART NO.	LENGTH
BVS2-IO-12S-1M	1000±30
BVS2-IO-12S-3M	3000±30
BVS2-IO-12S-5M	5000±50

△ PIN ASSIGNMENT




Components Express, Inc.

	REV.	DWG NO: CY-S-1447		
	B	CUSTOMER:		
DRAW,BY: <i>Lu dongfu</i>		CUSTOMER P/N: BVS2-IO-12S-1M		
CHECK,BY: <i>Cao jia wei</i>	SCALE	UNIT	SHEET	
APP,BY: <i>Mr. Huang</i>	FREE	mm	1/1	

RoHS COMPLIANT

DESCRIPTION CONTROL			
REV	DESC	DATE	APP
A	FIRST RELEASE	2015/10/06	




PART NO.	LENGTH
BVS2-PL101S-1M	1000±30
BVS2-PL101S-3M	3000±30
BVS2-PL101S-5M	5000±50

Components Express, Inc.

	REV.	DWG NO: CY-S-1485		
	A	CUSTOMER:		
DRAW, BY: <i>Li Dongfu</i>		CUSTOMER P/N: BVS2-PL101S-xxM		
CHECK, BY: <i>Gao Jiaosi</i>	SCALE	UNIT	SHEET	
APP, BY: <i>Mr. Huang</i>	FREE	mm	1/1	


RoHS COMPLIANT

DESCRIPTION CONTROL			
REV	DESC	DATE	APP
A	FIRST RELEASE	2015/08/30	
B	CHANGE CABLE	2015/07/06	



PART NO.	LENGTH
BVS-L5S-1M	1000±30
BVS-L5S-3M	3000±30
BVS-L5S-5M	5000±50

PIN ASSIGNMENT



Components Express, Inc.

	REV. DWG NO: CY-S-1448
	B CUSTOMER:
DRAW, BY: <i>Lu dongfu</i>	CUSTOMER P/N: BVS-L5S-*M
CHECK, BY: <i>Eco jiawei</i>	SCALE UNIT SHEET
APP, BY: <i>Mr. Huang</i>	FREE mm 1/1